



UNIVERSITY

UNIVERSITY EXAMINATIONS

SECOND YEAR EXAMINATION FOR THE AWARD OF DEGREE OF BACHELOR OF SCIENCE (NURSING)

NURU 277: COMMUNICABLE AND VECTOR-BORNE DISEASES

STREAMS: BSc Nurs (Y2T3)

TIME: 2 HOURS

DAY/DATE: FRIDAY 26/03/2021 8.30 A.M. – 10.30 A.M.

INSTRUCTIONS:

• Do not write anything on the question paper.

- Mobile phones and any other reference materials are NOT allowed in the examination room.
- The paper has THREE sections. Answer ALL questions.
- Answers for SECTION I should be on first page of the answer booklet.
- Number ALL your answers and indicate the order of appearance in the space provided in the cover page of the examination answer booklet

PART I: MCQS (20 MARKS)

- 1. The following is true about abortive poliomyelitis
 - a. Non-specific type of illness with brief influenza like symptoms during polio epidemic
 - b. There is spontaneous pain on the back and sometimes on the abdomen
 - c. The patient may have difficulties in passing urine
 - d. There may be muscle fasciculation
- 2. The following host factors are significant in the spread of influenza EXCEPT
 - a. Extremes of age
 - b. Human mobility
 - c. Change in weather conditions
 - d. Occupation

- 3. Which of the following statements about the Avian flu is most accurate?
 - a. Most Avian influenza viruses infect humans
 - b. It has pandemic potential
 - c. It is endemic
 - d. Controlling the disease in humans is the first step in prevention
- 4. A disease is pandemic if
 - a. Many persons acquire it over a short period
 - b. Is always present in a population
 - c. Occurs occasionally in a population
 - d. Arises from a single definable source and affects many people
- 5. The organism that causes chancroid is
 - a. Treponema pallidum
 - b. Haemophillus ducreyi
 - c. Chlamydia trachomatis
 - d. Lymphogranuloma venerium
- 6. Category 2 TB patients include those who
 - a. Are newly diagnosed, have never been treated for PTB, are smear positive
 - b. Have been previously treated for PTB, relapse cases, are smear positive
 - c. Have been previously treated for PTB, default cases, are smear negative
 - d. Have been previously diagnosed, treatment failures, are smear negative
- 7. Zoonotic diseases include:
 - a. Brucellosis, amoebiasis and anthrax
 - b. Brucellosis, anthrax and rabies
 - c. Anthrax, rabies and SARS
 - d. Anthrax, tetanus and Avian flu
- 8. Which of the following is an enzoonotic disease?
 - a. Hydatidosis
 - b. Teaniasis
 - c. Amoebiasis
 - d. Filariasis

- 9. Prepatent period is
 - a. Period in susceptible host between entry of infectious agent and onset of initial symptoms
 - b. Period in susceptible host between exit of infectious agent and detection of the same in the vector
 - c. Period from onset of symptoms to recovery
 - d. Period in susceptible host between entry of infectious agent and detection of the same in blood
- 10. An example of a communicable disease that has transovarian transmission is
 - a. Yellow fever
 - b. Bacillary dysentery
 - c. Schistosomiasis
 - d. Teaniasis
- 11. Malignant tertian malaria is caused by
 - a. Plasmodium vivax
 - b. Plasmodium ovale
 - c. Plasmodium malariae
 - d. Plasmodium falciparum
- 12. Scabies infection of the skin caused by *Sarcoptes scabie* is an example of
 - a. water borne disease
 - b. water washed disease
 - c. water based disease
 - d. water related disease
- 13. An outbreak of jaundice occurs in several children who attend the same day care centre.

If the outbreak was caused by a virus, which of the following is the most likely cause?

- a. Hepatitis A
- b. Hepatitis B
- c. Hepatitis C
- d. Hepatitis D

- 14. Each of the following statements is correct EXCEPT
 - a. Mumps virus is a single stranded RNA genome
 - b. Meningitis is a recognized complication of mumps
 - c. Mumps orchitis in children before puberty causes sterility
 - d. During mumps the virus spread through bloodstream to various internal organs
- 15. Which of the following statements is CORRECT about poliovirus?
 - a. Congenital infection of the fetus is an important complication
 - b. The virus replicates extensively within the gastrointestinal tract
 - c. A skin test is used to determine prior exposure
 - d. Retroviral therapy shortens the duration of infection
- 16. The sum total of body mechanisms that interpose barriers to the invasion or multiplication of infectious agents, or to damage by their toxic products is called
 - a. Innate immunity
 - b. Resistance
 - c. Transmissibility
 - d. Herd immunity
- 17. The following are objectives of disease surveillance. Which one is NOT?
 - a. Provide information on disease trends
 - b. Provide feedback
 - c. Provide early warning
 - d. Restrict movement of carriers
- 18. Which of the following is NOT a contact disease?
 - a. Cholera
 - b. Acute bacterial conjunctivitis
 - c. Pediculosis
 - d. Tinea capitis

19	. The disease transmitted by the vector Xenophyila philorexa and Xenophy	vila brasiliensis
	is:	
	a. Yellow fever	
	b. Trypanosomiasis	
	c. Plague	
	d. Leishmaniasis	
20	. A protozoal infection which the gastro-intestinal tract is the portal of ent	ry is
	a. Anthrax	
	b. Botulism	
	c. Girdiasis	
	d. Taeniasis	
PART	T II: SHORT ANSWER QUESTIONS (30 MARKS)	
1.	List six (6) factors that promote development and spread of communicable diseases	
		(3
	marks)	
2.	Describe any 3 components in a Covid 19 outbreak control program	(6 marks)
3.	State five (5) environmental factors that favor the spread of polio	(5 marks)
4.	Using the epidemiological triangle, describe prevention and control program for	
	pulmonary tuberculosis	(6 marks)
5.	Describe five (5) approaches that can be adopted in prevention and control of food	
	poisoning	(5 marks)
6.	With examples on specific responses, describe five (5) control and prevention measures	
	for contact diseases	(5 marks)
PART	TIII: LONG ANSWER QUESTION (20 MARKS)	
1.	Malaria is holoendemic in the Nyanza region	
	a. Define the term holoendemic	(1 mark)
	b. Using Leavell's Levels of Prevention, describe the measures you wi	Il put in place for
	malaria control and prevention program	(16 marks)
	c. State three complications of malarial infection	(3 marks)

.....